



Village of Corrales
Planning and Zoning Department

4324 CORRALES ROAD
CORRALES, NEW MEXICO 87048
PHONE (505) 897-0502
FAX (505) 897-7217
EMAIL: planning@corrales-nm.org
WEBSITE: www.corrales-nm.org

APPLICATION FOR CONSTRUCTION PERMIT

OFFICE USE ONLY

Plan Review Fee \$ _____ Business Registration \$ _____
Parcel Permit \$ _____ Excavation Permit \$ _____
Access ROW/Driveway Permit \$ _____ Building Permit Fee \$ _____

TOTAL AMOUNT PAID FOR PERMIT \$ _____ Receipt #: _____

Impact Fee: ☐ Yes ☐ No \$ _____ Receipt #: _____

Please give copy to Administrator when applicable.

Current Business Registration Verified ☐ YES

Access ROW/Driveway Permit: ☐ Yes ☐ No

SDP: ☐ Yes ☐ No

Address: _____ (E-911)

Septic Permit #: _____

Elevation Permit: ☐ Yes ☐ No

Sewer connection (Corrales Road): _____

Excavation Permit: ☐ Yes ☐ No

SWMP: ☐ No ☐ Yes

Landscape in ROW Permit: ☐ Yes ☐ No

Water Permit #: _____

Grading & Drainage Plan: ☐ Yes ☐ No Village Engineer Review? ☐ Yes ☐ No Fee \$ _____

(Upon completion, per Section 18-168, two complete sets of "as built" construction drawings, stormwater management including topography and water flows to be prepared and certified by professional engineer/surveyor)

Grading & Drainage As-built review ☐ Yes ☐ No Fee \$ _____

Date Received: _____ Date to Building Official: _____

The required prerequisites for the permit application have been reviewed and are sufficient.

Building Official: _____ Date: _____ Permit # BPN _____

Is property in a flood zone? ☐ No ☐ Yes If yes, attach flood elevation certificate completed by your surveyor. Panel # and flood zone designation: _____

Signature of Certified Floodplain Manager: _____



Village of Corrales
Planning and Zoning Department

4324 CORRALES ROAD
CORRALES, NEW MEXICO 87048
PHONE (505) 897-0502
FAX (505) 897-7217
EMAIL: info@corrales-nm.org
WEBSITE: www.corrales-nm.org

APPLICATION FOR CONSTRUCTION PERMIT

Please Print or Type

Project Address _____ Zone Designation _____
Number Street

Legal Description _____
Lot or Tract Block Subdivision or MRGCD Map #:

Type of Application ☐ Commercial ☐ Residential ☐ HOB ☐ Other _____

Permit Type ☐ Addition ☐ Remodel ☐ Re-Roof ☐ Pool ☐ Solar ☐ Garage ☐ Other _____

Work Description: _____

Square Footage of new Construction: _____ Valuation of new Construction \$ _____

Square Footage of all impervious surfaces on Site: / _____ = % Lot Coverage _____ %
Total Lot Acreage

Property Owner: _____

Mailing Address: _____
Number Street City State Zip Code

Telephone: home _____ cell: _____ Email _____

Contractor Business Name: _____ State License #: _____

Village of Corrales Business Registration #: _____

Name of Licensee: _____ License Classification: _____

Address: _____
Number Street City State Zip Code

Telephone: Office: _____ cell: _____ Email: _____

Name of Applicant: _____ Signature of Applicant: _____

PLEASE NOTE: An electronic version of all submitted materials is required in addition to drawings.



Village of Corrales Planning and Zoning Department

4324 CORRALES ROAD
CORRALES, NEW MEXICO 87048
PHONE (505) 897-0502
FAX (505) 897-7217
EMAIL: info@corrales-nm.org
WEBSITE: www.corrales-nm.org

Building Permit Guide

When Building Permits Are Required

Any owner or authorized agent who intends to construct, enlarge, alter, repair, move, demolish, or change the occupancy of a building or structure, or to erect, install, enlarge, alter, repair, remove, convert or replace any electrical, gas, mechanical or plumbing system, the installation of which is regulated by all applicable codes, or to cause any such work to be done, shall first make application to the building official and obtain the required permit.

When Building Permits Are Not Required

1. One story detached accessory buildings used as tool and storage sheds, playhouses, and similar uses, provided the floor area does not exceed 120 square feet.
2. Oil derricks.
3. Movable cases, counters and partitions not over 5 feet 9 inches high.
4. Retaining walls that are not over 4 feet in height measured from the bottom of the footing to the top of the wall, unless supporting a surcharge.
5. Water tanks supported directly upon grade if the capacity does not exceed 5,000 gallons and the ratio of height to diameter or width does not exceed 2:1.
6. Platforms, walks and driveways not more than 30 inches above grade and not over any basement or story below.
7. Painting, papering, tiling, carpeting, cabinets, countertops and similar finish work.
8. Temporary motion picture, television and theater stage sets and scenery.
9. Window awnings supported by an exterior wall or Group R, Division 3, and Group U Occupancies when projecting not more than 54 inches and do not require additional support.
10. Prefabricated swimming pools less than 24 inches deep.
11. Any work that is not otherwise regulated by specific provisions of the village code.
12. Not fixed and moveable fixtures, cases, racks, counters, and partitions not over 5 feet, 9 inches in height.
13. Any work not otherwise regulated by the New Mexico Building Code.
14. Unless otherwise exempted, separate plumbing, electrical and mechanical permits maybe required.

Septic Tank Permit

Obtain a permit to modify or install a liquid waste system from the New Mexico Environment Department Office located in Rio Rancho, 4359 Jager Dr. NE, Suite B Rio Rancho, NM 87144 (771-5980).

Zoning Approval

Applications are reviewed for zoning compliance with the current Village of Corrales Land Use Ordinances. Zoning approval must be obtained, with signature, on the application for Corrales Building Permits. Applicants must submit a site plan, including topographic information, following attached procedures to obtain zoning review.

Fees

Applications and permits will not be released without payment of administrative fees and applicable business registration at the time of application. All fees are non-refundable. Fees shall be charged for Real Property Transactions, building permits, engineering review (if applicable), grading permits, inspections and issuance of Certificates of Occupancy for all construction within the scope of the Corrales Building Code. Fees shall be paid in accordance with the Village Building Permit Fee Schedule adopted July 2010, or the latest adopted fee schedule.

Plan Submission

The following will be required in order to obtain a Building Permit:

1. Submittal of two complete sets of construction plans dimensioned and drawn to a scale of **not less than one-quarter inch per foot (1/4" = 1'-0") on at least 8½" x 11" paper**, which may be required to include any of the following.
2. **Liquid Waste Disposal Permit:** from the local New Mexico Environment Department office.
3. **Elevation Certificate:** completed by a licensed surveyor (if in a flood zone).
4. **Grading and Drainage Plan:** prepared by a licensed professional engineer/surveyor/architect; three sets (if required).
5. **Completed Village of Corrales Application for Construction Permit:** completed and signed.
6. **Site Plan:**
 - a. Show proposed **new structures and any existing buildings or structures on site** (lot coverage may not exceed 35% of property) including adjacent structures within 10 feet of any adjacent property lines and north arrow.



4324 CORRALES ROAD
CORRALES, NEW MEXICO 87048
PHONE (505) 897-0502
FAX (505) 897-7217
EMAIL: info@corrales-nm.org
WEBSITE: www.corrales-nm.org

Village of Corrales Planning and Zoning Department

- b. Show **property lines with dimensions** (and metes and bounds), all streets, easements and setbacks. Corrales setbacks are 25 feet from the front and 10 feet from the sides and rear.
 - c. Show all **water, sewer, electrical points of connection, proposed service routes and existing utilities** on the site. Identify existing and/or proposed water and sewer locations and well and septic field locations. No septic tank or field shall be placed within 100 feet of any existing well.
 - d. Show general **drainage and grading information**, including on-site ponding area/localized storm water retention. All lots, improved or developed, shall retain localized storm water on site unless otherwise approved by the Village Engineer. The pond size is calculated at: total area of impervious surface on the lot x 2.66 ÷ 12 = cubic feet. This is the volume of water that must be retained in an on-site pond. The pond should be located in such a manner that it will intercept the run-off generated by development. Run off from driveways may not be diverted onto a publicly dedicated street or into an adjacent bar ditch. The run-off generated from the driveway must be contained on the lot in on-site ponds. Retention ponds shown on property are to be cleaned and maintained by the owners. If **building site is located west of the Corrales Main Canal**, submit a Grading and Drainage Plan per Sec. 18-160-18-172 of the Codified Ordinances, prepared and sealed by a professional engineer or architect licensed in the state of New Mexico; engineer or architect is required to certify the construction of the storm water facilities at the end of the project.
 - e. **Exterior Elevations:** Show all views. Show all vertical dimensions and heights. No building, antenna and/or structure of any type shall exceed 26 ft. in height, measured to the ridgeline or top of parapet.
7. **Total Square Footage:** List the heated, garage, carport, covered porch, patio square footage and square footage of other impervious surfaces (paved driveway) on your plans.
 8. **Foundation Plan:** Indicate size, location and depth below grade of all footings, piers, and stem walls. If necessary, provide a geotechnical report, including soil-bearing capacity for the proposed structure at the site.
 9. **Floor Plan:** Show all floors including basement. Label all the rooms and provide overall dimensions. Show all doors and windows. Provide door and window schedules. Locate smoke detection systems.
 10. **Electrical plan:** Show all electrical including switches, outlets, wiring runs, smoke detectors, etc.
 11. **Truss Details** (Engineer Approved).
 12. **Floor and Roof Framing Plans:** Show size, spacing and spans of joists, girders, rafters, beams and headers. Specify grade and species of all wood members. All wood trusses must be engineered.
 13. **Details:** Include typical interior and exterior wall sections showing floor, wall and ceiling type, size, spacing and insulation required by the Model Energy Code. Show footing and foundation depth and dimensions; detail anchor bolt size and spacing and spacing of steel reinforcement in masonry reinforcement; if using prefabricated unit, the manufacturer's installation instructions must be at the job site for the building inspector's review and uses.
 14. Include sample worksheets if available, as well as one-page compliance sheets for your area.
 15. **Masonry Fireplace Detail:** complete elevations and sections.
 16. **Building Permit Checklist Guide.**
 - a. Liquid Waste Disposal Permit (NMED) (septic tank and infiltration field) _____
 - b. Elevation Certificate completed by licensed surveyor (if in a flood zone) _____
 - c. Village of Corrales Application for Construction Permit _____
 - d. Submittal of 2 complete sets of plans, plus electronic version _____
 - e. Existing and Proposed structures on site plan _____
 - f. Lot coverage no more than 35% _____
 - g. Adjacent structures within 10 feet of property lines _____
 - h. North Arrow _____
 - i. Setbacks _____
 - j. Existing/Proposed Water and Sewer locations _____
 - k. Existing/Proposed Well and Septic Field Locations _____
 - l. No septic tank or field within 100 feet of existing well _____
 - m. Drainage & Grading Information or Terrains and Storm Water Management Plan _____
 - n. On site ponding area calculations _____
 - o. Elevations _____
 - p. Total square footage of all existing and proposed buildings _____
 - q. Impact Fee _____

Special Conditions



Village of Corrales Planning and Zoning Department

4324 CORRALES ROAD
CORRALES, NEW MEXICO 87048
PHONE (505) 897-0502
FAX (505) 897-7217
EMAIL: info@corrales-nm.org
WEBSITE: www.corrales-nm.org

1. **Additions:** In addition to the above requirements, the floor plan shall show the addition and all existing rooms, doors and windows that will adjoin the addition. Provide distances on all sides of the addition to property lines and existing structures. Ensure that an existing sleeping room's sole means of egress to the exterior is not blocked by the addition.
2. **Alteration/Repair:** When performing alterations and repairs to an existing residence without performing structural changes, two sets of lists outlining work to be performed and materials to be used will be accepted in lieu of the above requirements. If you suspect this work will entail the handling of asbestos containing materials, call the Air Quality Control Bureau at 1-800-224-7009 prior to commencing alterations and repairs for additional information.
3. **Relocated Residence:** When relocating an existing residence to a new site, the structure will be considered new construction and must comply with all current applicable codes. Submittal shall reflect all the requirements listed under Plan Submittal (above). If the structure is for commercial use, commercial codes shall be used in construction of all components of the project.
4. **Demolition:** Two site plans identifying the structure(s) to be demolished will be accepted in lieu of the above requirements. If you suspect this work will entail the handling of asbestos containing materials, call the Air Quality Control Bureau at 1-800-224-7009 prior to commencing alterations and repairs for additional information.

Required Inspections

A 24-hour notice is required prior to inspection. The contractor or homeowner builder shall call the Village of Corrales Building Inspector (897-0502, ext. 222) for each of the following phases of construction.

1. **Foundation Inspection:** To be made after excavations for footings are complete and any required reinforcing steel is in place. After all foundation insulation in place. Where the foundation is to be constructed of approved treated wood, additional inspections may be required by the building official.
2. **Concrete Slab or Under-floor Inspection:** To be made after all in-slab or under-floor building service equipment, conduit, piping accessories and other ancillary equipment items are in place, but before any concrete is placed or floor sheathing installed, including the sub-floor.
3. **Frame Inspection:** To be made after the roof, all framing, fire blocking and bracing is in place and all pipes, chimneys and vents are complete and the rough electrical, plumbing, and heating wires, pipes and ducts are approved.
4. **Weather-Resistive and Lath Barrier Inspection:** To be made after installation of the appropriate weather-resistive barrier and before such barrier is covered.
5. **Final Inspection:** To be made after finish grading and the building is completed and ready for occupancy. Final electrical, plumbing and mechanical inspections must be conducted prior to final general construction inspection. The Construction Inspector will issue the Certificate of Occupancy to the Contractor after approving final general construction inspection.
6. **Wallboard inspection: before taped and bedded.**
7. **Bond Beam Inspection.**
8. **Masonry Fireplace Inspection:** first inspection before cells have been poured with rebar in place at top of firebox.
9. **Insulation Inspection:** Before it has been covered.
10. **Other Inspections:** In addition to the called inspections specified above, the Construction Inspector may make or require other inspections of any construction work to ascertain compliance with provisions of the New Mexico Building Code and other laws, which are enforced by the code enforcement agency. The licensed plumber and electrician performing the work under the appropriate permits are responsible for coordinating plumbing, mechanical and electrical inspections.
11. **Plumbing, Electrical, Mechanical Inspections:** Permits must be obtained in the City of Rio Rancho Building Department unless directed otherwise by the Building Official.

Certificate of Occupancy

No building or structure shall be used or occupied and no change in the existing occupancy classification of a building or structure or portion thereof shall be made until the building official has issued a certification of occupancy as provided. Commercial and Municipal zoned properties are also required to obtain a Certificate of Occupancy from the Planning & Zoning Administrator upon completion of approved site development plan.

Applicable Codes

The Village of Corrales & Construction Industries Division currently enforces the following codes:

- 2015 New Mexico Commercial Building Code
- 2015 New Mexico Residential Building Code



Village of Corrales Planning and Zoning Department

4324 CORRALES ROAD
CORRALES, NEW MEXICO 87048
PHONE (505) 897-0502
FAX (505) 897-7217
EMAIL: info@corrales-nm.org
WEBSITE: www.corrales-nm.org

- 2015 New Mexico Historic Earthen Buildings Code
- 2015 New Mexico Earthen Building Materials Construction Code
- 2015 New Mexico Non-Load Bearing Baled Straw Construction Building Code
- 2015 New Mexico Energy Conservation Code
- 2015 New Mexico Plumbing code
- 2015 New Mexico Electrical Code
- 2015 New Mexico Electrical Safety Code
- 2015 New Mexico Swimming Pool, Spa and Hot Tub Code
- 2015 New Mexico Mechanical Code
- 2015 New Mexico Solar Energy Code
- 2015 International Building Code
- 2015 International Residential Code
- 2015 International Fire Code
- 2015 Existing Building Code
- ICC/ANSI A117.1-1998
- Liquefied Petroleum Gas Standards
- NFPA 58-1998 for LP Gas
- NFPA 57
- NFPA 54 National Fuel Gas Code
- NFPA 52
- NFPA 501-C
- Manufacturing Housing Requirements
- Modular Structures